

Notice of Allowability

Application No.

10/714,706

Examiner

Anthony H. Nguyen

Applicant(s)

SHIELDS, GERALD N.

Art Unit

2854

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 6/22/2006.
2. ☒ The allowed claim(s) is/are 1-9, 12-19 and 24-37.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____



REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The primary reason for allowance claim 1 is that the prior art of record does not teach the controller coupled to the fluid circuit that calculates whether a volume of the used flush tank is available to accept the resulting volume of used clean rinse as argued by applicant (the Remarks, page 9 second paragraph).

The primary reason for allowance claim 15 is that the prior art of record does not teach the controller coupled to the fluid circuit that calculates an unfilled volume of the used flush tank, displaces a volume of used flush from the used flush tank when the volume in the tank is less than the amount of clean rinse drawn through the fluid circuit as argued by applicant (the Remarks, page 10 second paragraph).

The primary reason for allowance claim 24 is that the prior art of record does not teach the steps of calculating whether the amount of second solution is greater than or less than an empty volume of the used solution tank, displacing an amount of the first solution from the used solution tank and removing the second solution from the fluid circuit to the used solution tank if the amount of the second solution is greater than the empty volume of the used solution tank as argued by applicant (the Remarks, page 10 first paragraph).

The limitations in the claims are not rendered obvious by any proper combination of the prior art known to the Examiner.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2854

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony Nguyen whose telephone number is (571) 272-2169. The examiner can normally be reached daily from 9 AM to 5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen, can be reached on (571) 272-2258.

The fax phone number for this Group is (571) 273 - 8300.

A handwritten signature in black ink that reads "Anthony Nguyen". The signature is written in a cursive, flowing style.

Anthony Nguyen
08/24/2006
Patent Examiner
Technology Center 2800